



gorenje

INFORMATIONSBLAD

MODELL	WHT921E5X
Annual Energy Consumption - AEC_{hood}	102,5 kWh/a
ENERGIKLASS	C
Fluid Dynamic Efficiency - FDE	19,2 %
Fluid Dynamic Efficiency class	C
Light Efficiency - LE_{hood}	5,0 lux/W
Lighting Efficiency Class	F
Grease Filtering Efficiency - GFE_{hood}	96,0 %
Grease Filtering Efficiency class	A
A-weighted Sound Power Emission at minimum speed	244 m ³ /h
Maximum Air Flow in normal use	576 m ³ /h
Air Flow at intensive/boost setting	-
A-weighted Sound Power Emission at minimum speed	45 dB(A) re 1pW
A-weighted Sound Power Emission at maximum speed	66 dB(A) re 1pW
A-weighted Sound Power Emission at intensive or boost speed	-
Power consumption in on mode - P_o	-
Power consumption in standby mode - P_s	-
Time increase factor	1,3
Energy Efficiency Index - EEI	83,8
Measured air flow rate at best efficiency point - Q_{bep}	320,0 m ³ /h
Measured air pressure at best efficiency point - P_{bep}	334,0 Pa
Maximum air flow - Q_{max}	576 m ³ /h
Measured electric power input at best efficiency point - W_{bep}	154,5 W
Nominal power of the lighting system - W_L	40,0 W
Average illumination of the lighting system on the cooking surface - $E_{average}$	200,0 lux